

(12)

FORM 1-71 102A

**DTIC FILE COPY**

TECHNICAL REPORT BRL-TR-2905

**BRL**

1938 - Serving the Army for Fifty Years - 1988

AD-A199 531

**A FAST DATA REDUCTION ALGORITHM FOR  
MULTI-FRAME PARTICLE-IMAGE VELOCIMETRY**

R. B. FRIEDEN  
C. K. ZOLTANI

MARCH 1988

**DTIC**  
**ELECTE**  
**S** **D**  
OCT 14 1988  
**E**

APPROVED FOR PUBLIC RELEASE; DISTRIBUTION UNLIMITED

U.S. ARMY LABORATORY COMMAND

**BALLISTIC RESEARCH LABORATORY  
ABERDEEN PROVING GROUND, MARYLAND**

88 1011 27 6

UNCLASSIFIED  
SECURITY CLASSIFICATION OF THE PAGE

REPORT DOCUMENTATION PAGE				FORM 100-107 MAY 1962 EDITION GSA GEN. REG. NO. 27	
1a REPORT SECURITY CLASSIFICATION <b>Unclassified</b>			1b RESTRICTIVE MARKINGS		
2a SECURITY CLASSIFICATION AUTHORITY			3 DISTRIBUTION AVAILABILITY OF REPORT		
2b DECLASSIFICATION/DOWNGRADING SCHEDULE					
4 PERFORMING ORGANIZATION REPORT NUMBER(S) <b>BRL-TR-2905</b>			5 MONITORING ORGANIZATION REPORT NUMBER(S)		
6a NAME OF PERFORMING ORGANIZATION <b>Ballistic Research Laboratory</b>		6b OFFICE SYMBOL (if applicable) <b>SLC BR-IB-A</b>	7a NAME OF MONITORING ORGANIZATION		
6c ADDRESS (City, State, and ZIP Code) <b>Aberdeen Proving Ground, MD 21005-5066</b>			7b ADDRESS (City, State, and ZIP Code)		
8a NAME OF FUNDING/SPONSORING ORGANIZATION		8b OFFICE SYMBOL (if applicable)	9 PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER		
8c ADDRESS (City, State, and ZIP Code)			10 SOURCE OF FUNDING NUMBERS		
			PROGRAM ELEMENT NO <b>61102A</b>	PROJECT NO <b>1L161102AH4</b>	TASK NO <b>00</b>
11 TITLE (Include Security Classification) <b>A Fast Tracking Algorithm for Multi-Frame Particle-Image Velocimetry Data</b>					
12 PERSONAL AUTHOR(S) <b>B. Roy Frieden and Csaba K. Zoltani</b>					
13a TYPE OF REPORT <b>Technical Report</b>		13b TIME COVERED FROM <b>Dec 87</b> TO <b>Feb 88</b>		14 DATE OF REPORT (year, Month, Day)	
15 PAGE COUNT					
16 SUPPLEMENTARY NOTATION					
17 COSATI CODES			18 SUBJECT TERMS (Continue on reverse if necessary and identify by block number) <b>Multiple particle tracking, Particle Image velocimetry, Correspondence Problem, Fast Fourier Transform, Poiseuille Flow Analysis, Dynamic Scene Analysis</b>		
FIELD	GROUP	SUB-GROUP			
<b>19</b>	<b>01</b>				
<b>21</b>	<b>02</b>				
19 ABSTRACT (Continue on reverse if necessary and identify by block number)  An efficient tracking algorithm for the reduction and analysis of particle image velocimetry data is described. Using Fast Fourier Transforms, it is shown that one hundred identical particles performing random motions superimposed on Poiseuille flow and recorded on two successive frames may be tracked in about one minute of time on a Cyber 175 computer.					
20 DISTRIBUTION/AVAILABILITY OF ABSTRACT <input checked="" type="checkbox"/> UNCLASSIFIED/UNLIMITED <input type="checkbox"/> SAME AS RPT <input type="checkbox"/> DTIC USERS			21 ABSTRACT SECURITY CLASSIFICATION <b>Unclassified</b>		
22a NAME OF RESPONSIBLE INDIVIDUAL <b>Csaba K. Zoltani</b>			22b TELEPHONE (include Area Code) <b>(301) 278-6108</b>		22c OFFICE SYMBOL <b>SLC BR-IB-A</b>

## TABLE OF CONTENTS

LIST OF ILLUSTRATIONS .....	v
INTRODUCTION .....	1
GIVEN TRACKING PROBLEM .....	1
PHYSICAL CONSIDERATIONS .....	3
IMPLEMENTATION OF PHYSICAL CONSTRAINTS: THE TRACKING ALGORITHM .....	4
DEMONSTRATION .....	6
DISCUSSION .....	7
CONCLUSIONS .....	8
REFERENCES .....	9

<b>Accession For</b>	
NTIS GRA&I	<input checked="" type="checkbox"/>
DTIC TAB	<input type="checkbox"/>
Unannounced	<input type="checkbox"/>
Justification	
By _____	
Distribution/	
Availability Codes	
Dist	Avail and/or Special
A-1	



## LIST OF ILLUSTRATIONS

1. Flow Diagram of Tracking Algorithm ..... 5
2. Simulated Tracking Problem ..... 7

## INTRODUCTION

The use and analysis of the signatures of light reflected by scattering sites in a moving medium has been actively pursued for the determination of flow velocities.<sup>1,2,3</sup> A good overview of the subject was given by Adrian.<sup>3,4</sup> Here we address the problem of the associated data reduction, in particular when the number of scatterers is relatively small (the order of 100), and the particles are relatively large, of the order of tens of microns; this is called "particle image velocimetry (PIV)."

Particle image velocimetry is of considerable interest, especially for flows where there is only limited transverse motion, i.e., where particles in the flow field generally stay within well defined hyperplanes. In many situations of interest to ballisticians these conditions are met. Spatial particle distributions within flows are of some importance since they influence many processes of interest, including heat transfer and velocity distributions of the carrier gas near bounding surfaces. In addition, since excellent time resolution in the data acquisition is now possible with the use of pulsed lasers, the simultaneous determination of the position and subsequent inference of velocities of a large number of particles at the same time is a considerable advancement over Laser Doppler Anemometry (LDA),<sup>5</sup> where a large number of measurements at the *same* location need to be performed to establish the required flow statistics of a single point. Also, average measurements may not accurately reflect the true nature of the flow behavior.

Going beyond current practice of recording the data on photographic film followed by manual data reduction, we address the case when two frames of a scene, separated by a small temporal displacement, are available from charge coupled device (CCD) recordings. It is shown that, even in the case of hundreds of particles, identification, tracking, and determination of particle velocities can be obtained within minutes even on a slower mainframe computer. In the next section, a new algorithm for PIV data reduction is described. This is followed by an example of a simulated Poiseuille flow with one hundred embedded particles of identical shape. A random motion has been superimposed on each of the particles as they traverse the flow field. We conclude with an assessment of the developed technique.

## GIVEN TRACKING PROBLEM

The particles under consideration can change in apparent shape and brightness during their motion, since they move in and out of focus and also might be abrading. Therefore, any potential tracking algorithm cannot cue on individual particle signatures such as edge segments, shape, size or optical brightness. The particles must be considered identical. The main guides to matching corresponding particles must therefore be their positions and local configurations. The problem is further exacerbated by the fact that only two images are to be given. Therefore, a detailed history of particle shape and/or trajectory changes cannot be kept. We summarize the problem as follows:

1. The particles undergo nonrigid motion with a strong random component.
2. Many particles are present, the order of 100 or more. Hence, the field is relatively densely populated.

3. The particles are identical, and placed in a uniform field. We equivalently model the particles as uniform circular disks against a (different) uniform background.
4. Only two images are given.
5. The time interval between images is large enough that particle travel of many diameters can occur.
6. The deterministic component of motion is Poiseuille.
7. The number of particles is conserved, over the two images.
8. The aim is to establish the particle correspondences from image 1 to image 2. Then the difference in corresponding particle positions gives the required velocities.

One obvious method of establishing the correspondences, matched filtering,<sup>6</sup> does not apply because of premise 3 above. The method of optical flow,<sup>6-8</sup> must also be considered. It applies when the image scene is continuously changing both temporally and spatially. For example, a camera is slowly panning across an image field. However this requirement violates premises 3 and 5 above, according to which the image field is binary, and discontinuous spatially, and the particle motion is large, hence discontinuous temporally.

The open literature does not extensively treat this kind of tracking problem. Published work on *dynamic scene analysis*,<sup>9-12</sup> generally limit attention to either rigid or quasi-rigid motion of a single, or at most a few, objects. This violates premises 1 and 2 above. Other authors, e.g., as in Ref. 13, allow for multiple particles but consider cases where the field is rather sparsely populated, violating premise 2, and where small particle travel occurs between frames, violating premise 5. Under these conditions, there is no correspondence problem. Estimation of the particle positions, and outputting a dot at each such position on an image screen, directly gives the particle orbits.<sup>13</sup> An ingenious method of tracking multiple particles,<sup>14</sup> is based on the idea of predicting each particle's motion based on its past history. However, this violates premise 4, according to which there is no extensive past history.

An analog method of multiple particle tracking was proposed,<sup>15</sup> which uses a far-field, double exposed hologram as the recording medium for the two images. However, this approach is limited in scope to two special scenarios: When the particles are close to uniformly distributed over the images, or the particle movements do not correlate with position. These are overly restrictive conditions for the given problem.

Much previous work in tracking has been motivated by the needs of the home television industry, or by the problem of inferring 3-D shape from 2-D projections. These have very little in common with the premises 1 - 8 at hand. By contrast, medical blood cell tracking has much in common with our problem. The first publication of this kind appears to be Ref. 16, where a system for tracking single white blood cells is described. Then, in Ref. 17, an advance on this work was reported, whereby the automatic tracking of many cells was carried out. The aim, however, was not to establish the particle correspondences, but rather to estimate the mean or aggregate motion of the blood cells. Hence, when multiple candidates for a correspondence occur, one is *arbitrarily* selected: these events occur so infrequently that the overall estimate of aggregate motion is not seriously affected. By contrast, because of premise 2 above, such events will frequently happen in our problem.

Also, each wrong decision on a correspondence gives directly a wrong velocity estimate. Hence, we pay careful attention to the problem of multiple candidates.

Another medical tracking problem analogous to ours arises in 2-D gel electrophoresis imagery. There, the aim is to match corresponding protein spots from one gel image to another. The state-of-the-art matching procedure appears to be that of Ip and Potter;<sup>18</sup> see also Refs. 19 and 20. Their algorithm consists of a global linear transformation applied to one image, followed by final, local matching with the second by use of a "chamfering" technique. The linear transformation takes advantage of the powerful prior knowledge that to good extent the two images are simply translated and rotated versions of one another. Unfortunately, this is not true of particles undergoing Poiseuille flow. Also, this linear step requires, for its execution, the *manual* matching of many reference spots, e.g., 15 to 20 pairs in experiments cited. This conflicts with our aim of a completely automated tracking procedure.

Skolnick<sup>21</sup> has proposed an automatic matching approach in gel electrophoresis imagery. Correspondences are established by a matching of graphs generated by connecting each gel spot center (a "node") with lines ("edges") to its nearest neighbors. If the graphs for corresponding spots in successive frames are similar enough, and if they are not too separated spatially, then the spots are accepted as matched. This was a proposed technique, without demonstration. Evidently, it depends for its utility on a situation where most particles preserve their relative positions during motion. This violates our premises 1 and 6, according to which the particle motion is nonuniform.

Finally, Greaves<sup>22</sup> uses a simple nearest-neighbor rule, of Euclidean measure, to select corresponding microorganisms in two microscopic slides viewed by a video system. Unfortunately, this simple selection rule will not work in our problem, as will become evident from demonstrations given later. The field is so crowded that the correspondences so established will be strongly dependent upon the order with which the pairings are made, and too often the nearest neighbor to a particle is the *wrong* pairing for that particle.

## PHYSICAL CONSIDERATIONS

A correspondence algorithm must be sought which does not rely on individual object shape and/or brightness cues (see premise 3). The only other cueing information left is possible knowledge of particle dynamics, i.e., flow characteristics. In fact, we have such knowledge. In our problem, the particles overall follow Poiseuille-like flow, which is laminar and deterministic, with a superimposed random component of motion exemplified by local eddies. Hence, in the net there should be strong correlation of motion, but only over finite correlation distances. Effectively, many neighboring particles move together, or "clump." Hence, preference should be given to identifications that define commonly moving particles, or clumps. Furthermore, the deterministic component of Poiseuille flow is assumed to take precedent: given no further information, if a particle is observed to belong to more than one clump, we presume that it should be identified with the larger clump, provided this does not imply too large a correlation distance.

A second piece of prior information at hand is knowledge of a maximum possible motion displacement  $r_{\max}$  over the field. This can be deduced from knowledge of the time interval  $\tau$  between exposures and an estimate of the maximum possible velocity of a particle. With this information, potential correspondences that would require motions greater than  $r_{\max}$  can be ruled out. Furthermore, if  $r_{\max} \leq N/2$ , where  $N$  is the image width (and height), a computational time and core storage advantage results (see below).

## IMPLEMENTATION OF PHYSICAL CONSTRAINTS: THE TRACKING ALGORITHM

A mathematical operation that permits the incorporation of clumping and maximum distance considerations is that of cross correlation. See the flow diagram in Figure 1, step (c). If image 1 is cross correlated with image 2, the global maximum in the output will occur at a lag, or spatial vector displacement between the images, where the largest number of particles overlap. This defines the largest clump. The second-largest maximum will occur at a lag for which the second-largest number of particles overlap; etc, for all significant maxima within the largest possible displacement radius  $r_{\max}$ . Let there be  $M$  in all. The maxima were found by simply centering a  $3 \times 3$  cross shaped window upon each output point. A maximum is defined to occur when the center point is higher than its four neighbors within the cross. The  $M$  lag maxima describe the vector displacements of  $M$  clumps of particles from image 1 to image 2. In a general scenario, there will be many clumps of commonly moving particles, each moving by a generally different amount and in a different direction. Although the cross-correlation outputs do not identify *which* particles moved together to form each maximum, they at least identify the lags in question. With these known, a different computer operation identifies the particles *within* each clump. This is described in the third paragraph following.

The cross correlation operation was also chosen because it is convenient to implement digitally. Let image 1 be denoted as  $f$ , image 2 denoted as  $g$ . The Fast Fourier Transform (FFT) algorithm permits the cross correlation  $f \otimes g$  to be computed for two images  $f$  and  $g$ , as<sup>23</sup>

$$f \otimes g = \text{FFT}^{-1} \{ \text{FFT}(f) \text{FFT}(g)^* \} . \quad (1)$$

The asterisk denotes a complex conjugate, and the  $-1$  indicates an inverse FFT. The FFT algorithm is notably fast. Also, by Eq. (1), only three FFT operations need be done to produce the required output that locates the lag maxima. Finally, size considerations should be mentioned. If the images  $f$  and  $g$  are  $N \times N$  pixels, then ordinarily the output  $f \otimes g$  will be  $2N \times 2N$  pixels, i.e., four times the area of each input. However, if it is known that no particle has been translated from  $f$  to  $g$  by greater than  $N/2$  pixels, i.e.,  $r_{\max} \leq N/2$ , then all output maxima must instead lie within an  $N \times N$  central field of the output. This permits a reduction in required computer core storage by a factor of 8 (factors of 2 in each direction, plus a factor of 2 for the complex arithmetic used).

A further size reduction was enforced. By extensive use of disk intermediary storage files, it is possible to require but one core storage array of dimension  $(2, N, N)$ . Without the use of such disk files, three such arrays would have been needed, plus seven of dimension  $(N, N)$ . For an image of size  $N = 128$  or larger, this amounts to a considerable reduction in core storage requirement.

Assume that, in a pre-processing step, every particle in the two images is replaced by an identical disk of known  $(x, y)$  position. See steps (a), (b) in Figure 1. The particles within each clump were then identified in the following way. (See step (e) of Figure 1.) Displace image 2 from image 1 by one of the  $M$  lags defined above. Then for each particle position in image 1, every particle position in image 2 is sampled to see if the two particle disks overlap. Of all such overlapped disks, the pair with the smallest mutual displacement is chosen as defining a particle-pair correspondence. With the given scenario of little a priori knowledge governing particle motion, it is logical to prefer nearest-neighbor pair identifications over all candidates that are otherwise equally valid.




Figure 1. Flow diagram of tracking algorithm.

The M lags are ordered such that their corresponding cross correlation maxima increase in size, before the foregoing identifications are made. See step (d) in Figure 1. Then at each lag, a new set of particle correspondences is established as above, with each such set *replacing* any conflicting correspondences established at previous lags. For example, if at lag 1 particle 10 of image 1 is identified with particle 8 of image 2, i.e., identification (10, 8) is made; while at lag 2 identification (10, 5) is made; then identification (10, 5) takes precedence, until possibly at some subsequent lag particle 10 is assigned to yet a different particle of image 2. In this way, the larger clumps associated with the later lags are given preference in defining particle identifications.

As with the nearest-neighbor rule described above, this is intuitively a correct choice. If the particle flow was perfectly smooth and laminar, all particles would travel together in one grand clump. However, the extent to which random eddies and other sources of randomness actually creep in is not known. Hence, it makes sense to give preference to large scale, or laminar, flow.

Notice that in the previous step particle 8 in image 2 was "bumped" as a possible candidate for an identification. After looping over all lags in the previous step, there will be a list of such bumped particles from image 2. Likewise, there will be a list of still-unassigned particles from image 1 (those that did not have an overlapped disk, for *any* lag, with a particle in image 2). These two lists must somehow be matched up 1:1. At this point, all clumping tendencies have been established. The only rule left for match up is the nearest-neighbor rule. Hence, we loop over all such image 1 particles, finding the closest image 2 particle, and then eliminating each from its list. (See step (f) of Figure 1). This is admittedly an imperfect procedure, since the identifications will depend somewhat upon the order in which the particles are processed. For example, the particle pair (3, 8) may define the smallest particle distance to particle 3 of image 1, but 8 may have already been assigned to particle 2 of image 1 on the basis of closeness to 2. In practice, this kind of error does not happen very often. However, to minimize its occurrence a subsequent processing step is taken, (g) of Figure 1.

In this step, each identification  $(m_i, n_i)$ ,  $i = 1, \dots, P$ , where  $P$  is the total number of particles in each image, is compared with every other identification  $(m_j, n_j)$ ,  $j \neq i$ , to see if an interchange of identifications, to  $(m_i, n_j)$ ,  $(m_j, n_i)$  will produce a smaller total displacement distance over both pairings. If it does, then the interchange is made. Again, this rule gives preference to small displacements. In practice, the rule eliminates all or nearly all errors described in the previous paragraph.

## DEMONSTRATION

Figure 2 shows a simulated case study of particle identification. To aid visualization, image 1 consists of a regular  $10 \times 10$  grid of particles, shown as white diamonds (discrete versions of circles). Field size is  $128 \times 128$  pixels. The 100 particles are simulated to obey randomized Poiseuille flow, generally to the right. The center row of particles move maximally and the top and bottom rows minimally, according to a parabolic dependence on row. (The top and bottom rows are taken to be near the walls of a pipe containing the flow. Because of frictional interactions with the walls, particles close to them tend to move less than those in the main flow in the middle.) The center row has the maximum parabolic displacement, value  $r_{\max}$ . Parameter  $r_{\max}$  was given the value 6.0 pixels.

Each particle's direction of flow is made to depart randomly from the horizontal, with maximum randomness again at the walls since this is where eddy currents tend to maximally occur. The result is the black particle positions in Figure 2. As examples of extreme directional randomness, notice the lower-left most black particle positions. The black particles comprise image 2.

These two images were then processed, according to tracking algorithm (a) through (g) of Figure 1. At step (c),  $M = 5$  lag maxima were found within the feasible region defined by  $r_{\max}$ . The result is the correspondences shown by black connecting lines in Figure 2. (Where a black pixel and a white one overlap, as in the upper-left most pair, the black one dominates.) These results are encouraging, since every particle was correctly tracked.




Figure 2. Simulated tracking problem. White particles are in image 1, black particles in image 2. Correspondences established by the tracking algorithm are designated by black connecting lines.

It is interesting to compare these results with what a simple nearest-neighbor rule might have given. On the basis of nearest neighbors, some erroneous identifications would be made, and some would be ambiguous. For example, consider the white particle in row 6, column 9. Its nearest black neighbor is to its left, 6 pixels away. However, the tracking algorithm correctly paired it instead with the particle to its right, distance  $(6^2 + 3^2)^{1/2} = 6.3$  pixels away. Although this distance is larger, it was identified by the program with a large clump of commonly moving particles, and hence was given preference at step (e) of the algorithm. Also, for many particles nearest-neighbors would have led to an impasse, since two white particles exist which are *the same* distance from a given black one. For example, consider the white particle located at row 3, column 3. The black particles to its immediate left and right are each distance  $(6^2 + 1^2)^{1/2}$  from it. A supplementary rule would have had to be invented in order to resolve the ambiguity.

## DISCUSSION

Although the results in Figure 2 are typical, the algorithm does not of course always work this well. The central consideration is the amount of particle motion compared with the interparticle distances. If a black particle has moved so much that it overtakes the white particle immediately to its right, it might be erroneously identified with the latter white particle. Hence, particle movement should be less than the interparticle distances in image 1.

Another factor of importance is the designated size of the disks. Notice that disk size, as employed in the algorithm, does not have to be the actual or physical disk size. In practice, disk size only enters into the algorithm in step (e), where it is used as a kind of interaction distance. Specifically, it defines candidate correspondences for an image 1 particle. To be a candidate, an image 2 particle must overlap the disk of the image 1 particle. (The closest such image 2 particle is then selected.) Obviously, then, the size taken for the disk governs the chosen set of candidates. With too small a disk size, such a small set of candidates might be generated that the correct candidate is missed. Or, too large a disk will too strongly favor the last lags used in step (e), i.e. will tend to make correspondences that all correspond to maximum clump size. Hence, disk size is a useful tuning parameter. A good disk size is identified by reasonable looking correspondences, in the judgment of the user. For the results shown in Figure 2, the chosen disk radius was 2 pixels, as shown. This was the second run of the problem. In the first, a disk radius of 1 pixel was used instead. This resulted in all correspondences but eight in row 9 being correct, a success rate of 92/100. Hence, the algorithm is fairly tolerant of disk size. A range of disk sizes will give good results.

The simulation shown in Figure 2 was carried out by a Cyber 175 mainframe computer. CPU time was 51 sec, and central memory required 60,200 octal words in total (including all program statements and all execution arrays.) A major part of the CPU time was taken by the seven FFT operations performed--three to locate particle positions in image 1, three similarly for image 2, and one more to cross correlate image 1 with image 2. For 128x128 pixel images, it was empirically found that CPU time  $t$  varies with particle number  $P$  according to a linear relation

$$t = P/3 + 20 \text{ sec}, \quad 1 \leq P \leq 100. \quad (2)$$

Since the FFT operations are, of course, independent of  $P$ , the 20 sec contribution to Eq. (2) must be due to them. All other operations in the tracking algorithm require  $P/3$  sec, over the indicated range of  $P$ . This bodes well for applications to larger problems, where  $P$  might be the order of 1000 particles, providing that approximate linearity holds for these  $P$  values as well.

## CONCLUSIONS

A tracking algorithm has been developed that satisfactorily tracks 100 or more identical particles. Time and storage requirements are modest, with CPU time approximately linear in the number of particles. For proper use, particle movements should not exceed interparticle distances in image 1. Program operation is adjustable by an input effective particle size parameter, which is varied until satisfactory correspondences are made. Application of the algorithm to 1000 or more particles seems a reasonable future prospect.

## REFERENCES

1. T. D. Dudderar, P. G. Simpkins, "Laser Speckle Photography in a Fluid Medium." *Nature*, Vol. 270, pp. 45-47, 1977.
2. R. Grousson, S. Mallick, "Study of Flow Pattern in a Fluid by Scattered Laser Light." *Applied Optics*, Vol. 16, No. 9, pp. 2334-2336, 1977.
3. R. J. Adrian, C. S. Yao, "Development of Pulsed Laser Velocimetry (PLV) for Measurement of Turbulent Flow," in *Symposium on Turbulence*, X. B. Reed, Jr., G. K. Patterson, and J. L. Zakin, eds., University of Missouri Press, Rolla, Missouri, pp. 170-186, 1984.
4. R. J. Adrian, "Multi-Point Optical Measurements of Simultaneous Vectors in Unsteady Flow, a Review." *Int. J. Heat and Fluid Flow*, Vol. 7, pp. 127-143, 1986.
5. F. Durst, A. Melling, and J. H. Whitelaw, *Principles and Practice of Laser Doppler Anemometry*, Academic, London, 1976.
6. D. H. Ballard and C. M. Brown, *Computer Vision*, Prentice-Hall, New York, 1982.
7. J. J. Gibson, *The Perception of the Visual World*, Houghton-Mifflin, Boston, 1950 (original reference on optical flow).
8. B. K. Horn, *Robot Vision*, McGraw-Hill, New York, 1986.
9. R. Jain, "Dynamic Scene Analysis," in *Progress in Pattern Recognition*, Vol. 2., North-Holland, Amsterdam, pp. 125-167, 1985.
10. J. W. Roach and J. K. Aggarwal, "Determining the Movement of Objects from a Sequence of Images," *IEEE Trans. PAMI-2*, pp. 554-562, 1980.
11. R. J. Schalkoff and E. S. McVey, "A Model and Tracking Algorithm for a Class of Video Targets," *IEEE Trans. PAMI-4*, pp. 2-10, 1982.
12. G. R. Legters and T. Y. Young, "A Mathematical Model for Computer Image Tracking," *IEEE Trans. PAMI-4*, pp. 583-594, 1982.
13. N. C. Mohanty, "Computer Tracking of Moving Point Targets in Space," *IEEE Trans. PAMI-3*, pp. 606-611, 1981.
14. M. Yachida, M. Asada, and S. Tsuji, "Automated Analysis of Moving Images," *IEEE Trans. PAMI-3*, pp. 12-20, 1981.
15. P. H. Malyak and B. J. Thompson, "Particle Displacement and Velocity Measurement Using Holography," *Opt. Eng.*, Vol. 23, pp. 567-576, 1984.
16. F. M. Greene, Jr. and F. S. Barnes, "System for Automatically Tracking White Blood Cells," *Rev. Sci. Instrum.*, Vol. 48, pp. 602-604, 1977.

17. M. D. Levine, Y. M. Youssef, P. B. Noble, and A. Boyarsky, "The Quantification of Blood Cell Motion by a Method of Automatic Digital Picture Processing," IEEE Trans. PAMI-2, pp. 444-450, 1980.
18. H.-S. Ip and D. J. Potter, "Comparison of 2-D gel Electrophoresis Images," Pattern Recog. Letters, Vol. 5, pp. 81-86, 1987.
19. P. F. Lemkin and L. E. Lipkin, "GELLAB: A Computer System for 2D Gel Electrophoresis Analysis II; Pairing Spots," Comput. Biomed. Res., Vol. 14, pp. 355-380, 1981.
20. J. I. Garrels, J. T. Farrar, and C. B. Burwell, "The QUEST System for Computer-Analyzed Two-Dimensional Electrophoresis of Proteins," in *Two-Dimensional Gel Electrophoresis of Proteins: Methods and Applications*, J. E. Celis and R. Bravo, eds., Academic Press, New York, pp. 38-91, 1984.
21. M. M. Skolnick, "An Approach to Completely Automatic Comparison of Two-Dimensional Gels," Clin. Chem., Vol. 28, pp. 979-986, 1982.
22. J. O. B. Greaves, "The Bugsystem: The Software Structure for the Reduction of Quantized Video Data of Moving Organisms," Proc. IEEE, Vol. 63, pp. 1415-1425, 1975.
23. R. M. Bracewell, *The Fourier Transform and its Applications*, McGraw-Hill, New York, 1965.

# DISTRIBUTION LIST

<u>No. of Copies</u>	<u>Organization</u>	<u>No. of Copies</u>	<u>Organization</u>
12	Administrator Defense Technical Info Center ATTN: DTIC-FDAC Cameron Station, Bldg 5 Alexandria, VA 22304-6145	1	Commander US Army Materiel Command ATTN: AMCDRA-ST 5001 Eisenhower Avenue Alexandria, VA 22333-5001
1	Commander USA Concepts Analysis Agency ATTN: D. Hardison 8120 Woodmont Avenue Bethesda, MD 20014-2797	1	Commander US Army Materiel Command ATTN: AMCDE-DW 5001 Eisenhower Avenue Alexandria, VA 22333-5001
1	HQDA/DAMA-ZA Washington, DC 20310-2500	5	Project Manager Cannon Artillery Weapons System, ARDC, AMCCOM ATTN: AMCPM-CW, AMCPM-CWW AMCPM-CWS M. Fisette AMCPM-CWA H. Hassmann AMCPM-CWA-S R. DeKleine Dover, NJ 07801-5001
1	HQDA, DAMA-CSM, Washington, DC 20310-2500		
1	HQDA/SARDA Washington, DC 20310-2500		
1	C.I.A. OIR/DB/Standard GE47 HQ Washington, D.C. 20505	2	Project Manager Munitions Production Base Modernization and Expansion ATTN: AMCPM-PBM, A. Siklosi AMCPM-PBM-E, L. Laibson Dover, NJ 07801-5001
6	National Bureau of Standards ATTN: J. Hastie M. Jacox T. Kashiwagi H. Semerjian S. Ray A. Carasso U.S. Department of Commerce Washington, D.C. 20234	3	Project Manager Tank Main Armament System ATTN: AMCPM-TMA, K. Russell AMCPM-TMA-105 AMCPM-TMA-120 Dover, NJ 07801-5001
1	Commander US Army War College ATTN: Library-FF229 Carlisle Barracks, PA 17013	1	Commander US Army Watervliet Arsenal ATTN: SARWV-RD, R. Thierry Watervliet, NY 12189-5001
1	US Army Ballistic Missile Defense Systems Command Advanced Technology Center P. O. Box 1500 Huntsville, AL 35807-3801	1	Commander U.S. Army ARDEC ATTN: SMCAR-MSI Dover, NJ 07801-5001
1	Chairman DOD Explosives Safety Board Room 856-C Hoffman Bldg. 1 2461 Eisenhower Avenue Alexandria, VA 22331-9999	1	Commander U.S. Army ARDEC ATTN: SMCAR-TDC Dover, NJ 07801-5001
1	Commander US Army Materiel Command ATTN: AMCPM-GCM-WF 5001 Eisenhower Avenue Alexandria, VA 22333-5001	4	Commander US Army Armament Munitions and Chemical Command ATTN: AMSMC-IMP-L Rock Island, IL 61299-7300

# DISTRIBUTION LIST

<u>No. of Copies</u>	<u>Organization</u>	<u>No. of Copies</u>	<u>Organization</u>
1	HQDA DAMA-ART-M Washington, DC 20310-2500	1	Commander US Army Aviation Systems Command ATTN: AMSAV-ES 4300 Goodfellow Blvd. St. Louis, MO 63120-1798
1	Commander US Army AMCCOM ARDEC CCAC ATTN: SMCAR-CCB-TL Benet Weapons Laboratory Watervliet, NY 12189-4050	1	Director US Army Aviation Research and Technology Activity Ames Research Center Moffett Field, CA 94035-1099
3	Commander US Army ARDEC ATTN: SMCAR-MSI SMCAR-TDC SMCAR-LC LTC N. Barron Dover, NJ 07801-5001	1	Commander US Army Communications - Electronics Command ATTN: AMSEL-ED Fort Monmouth, NJ 07703-5301
7	Commander US Army ARDEC ATTN: SMCAR-LCA A. Beardell D. Downs S. Einstein S. Westley S. Bernstein C. Roller J. Rutkowski Dover, NJ 07801-5001	1	Commander CECOM R&D Technical Library ATTN: AMSEL-M-L (Report Section) B.2700 Fort Monmouth, NJ 07703-5000
3	Commander US Army ARDEC ATTN: SMCAR-LCB-I D. Spring SMCAR-LCE SMCAR-LCM-E S. Kaplowitz Dover, NJ 07801-5001	1	Commander US Army Harry Diamond Lab. ATTN: DELHD-TA-L 2800 Powder Mill Road Adelphi, MD 20783-1145
4	Commander US Army ARDEC ATTN: SMCAR-LCS SMCAR-LCU-CT E. Barrires R. Davitt SMCAR-LCU-CV C. Mandala Dover, NJ 07801-5001	1	Commander US Army Missile Command ATTN: AMSMI-RX M.W. Thauer Redstone Arsenal, AL 35898-5249
3	Commander US Army ARDEC ATTN: SMCAR-LCW-A M. Salisbury SMCAR-SCA L. Stiefel B. Brodman Dover, NJ 07801-5001	1	Commander US Army Missile Command Research, Development, and Engineering Center ATTN: AMSMI-RD Redstone Arsenal, AL 35898-5245
		1	Commandant US Army Aviation School ATTN: Aviation Agency Fort Rucker, AL 36360

# DISTRIBUTION LIST

<u>No. of Copies</u>	<u>Organization</u>	<u>No. of Copies</u>	<u>Organization</u>
1	Commander US Army Tank Automotive Command ATTN: AMSTA-TSL Warren, MI 48397-5000	1	Commander US Army Research Office ATTN: Tech Library P. O. Box 12211 Research Triangle Park, NC 27709-2211
1	Commander US Army Tank Automotive Command ATTN: AMSTA-CG Warren, MI 48397-5000	1	Commander US Army Belvoir Research and Development Center ATTN: STRBE-WC Fort Belvoir, VA 22060-5606
1	Project Manager Improved TOW Vehicle ATTN: AMCPM-ITV US Army Tank Automotive Command Warren, MI 48397-5000	1	Commander US Army Logistics Mgmt Ctr Defense Logistics Studies Fort Lee, VA 23801
2	Program Manager M1 Abrams Tank System ATTN: AMCPM-GMC-SA, T. Dean Warren, MI 48092-2498	1	Commandant US Army Infantry School ATTN: ATSH-CD-CS-OR Fort Benning, GA 31905-5400
1	Project Manager Fighting Vehicle Systems ATTN: AMCPM-FVS Warren, MI 48092-2498	1	Commandant US Army Command and General Staff College Fort Leavenworth, KS 66027
1	President US Army Armor & Engineer Board ATTN: ATZK-AD-S Fort Knox, KY 40121-5200	1	Commandant US Army Special Warfare School ATTN: Rev & Tng Lit Div Fort Bragg, NC 28307
1	Project Manager M-60 Tank Development ATTN: AMCPM-M60TD Warren, MI 48092-2498	3	Commander Radford Army Ammunition Plant ATTN: SMCRA-QA/HI LIB Radford, VA 24141-0298
1	Director US Army TRADOC Systems Analysis Activity ATTN: ATOR-TSL White Sands Missile Range, NM 88002	1	Commander US Army Foreign Science & Technology Center ATTN: AMXST-MC-3 220 Seventh Street, NE Charlottesville, VA 22901-5396
1	Commander US Army Training & Doctrine Command ATTN: ATCD-MA/ MAJ Williams Fort Monroe, VA 23651	2	Commandant US Army Field Artillery Center & School ATTN: ATSF-CO-MW, B. Willis Ft. Sill, OK 73503-5600
2	Commander US Army Materials and Mechanics Research Center ATTN: AMXMR-ATL Tech Library Watertown, MA 02172	1	Commander US Army Development and Employment Agency ATTN: MODE-ORO Fort Lewis, WA 98433-5099

# DISTRIBUTION LIST

<u>No. of Copies</u>	<u>Organization</u>	<u>No. of Copies</u>	<u>Organization</u>
1	Office of Naval Research ATTN: Code 473, R. S. Miller 800 N. Quincy Street Arlington, VA 22217-9999	4	Commander Naval Surface Weapons Center ATTN: S. Jacobs/Code 240 Code 730 K. Kim/Code R-13 R. Bernecker Silver Spring, MD 20903-5000
3	Commandant US Army Armor School ATTN: ATZK-CD-MS M. Falkovitch Armor Agency Fort Knox, KY 40121-5215	2	Commanding Officer Naval Underwater Systems Center Energy Conversion Dept. ATTN: CODE 5B331, R. S. Lazar Tech Lib Newport, RI 02840
2	Commander Naval Sea Systems Command ATTN: SEA 62R SEA 64 Washington, DC 20362-5101	4	Commander Naval Weapons Center ATTN: Code 388, R. L. Derr C. F. Price T. Boggs Info. Sci. Div. China Lake, CA 93555-6001
1	Commander Naval Air Systems Command ATTN: AIR-954-Tech Lib Washington, DC 20360	2	Superintendent Naval Postgraduate School Dept. of Mech. Engineering Monterey, CA 93943-5100
1	Assistant Secretary of the Navy (R, E, and S) ATTN: R. Reichenbach Room 5E787 Pentagon Bldg. Washington, DC 20350	1	Program Manager AFOSR Directorate of Aerospace Sciences ATTN: L. H. Caveny Bolling AFB, DC 20332-0001
1	Naval Research Lab Tech Library Washington, DC 20375	5	Commander Naval Ordnance Station ATTN: P. L. Stang L. Torreyson T. C. Smith D. Brooks Tech Library Indian Head, MD 20640-5000
5	Commander Naval Research Laboratory ATTN: L. Harvey J. McDonald E. Oran J. Shnur R. Doyle Washington, D.C. 20375	1	AFSC/SDOA Andrews AFB, MD 20334
5	Commander Naval Surface Weapons Center ATTN: Code G33, J. L. East W. Burrell J. Johndrow Code G23, D. McClure Code DX-21 Tech Lib Dahlgren, VA 22448-5000	3	AFRPL/DY, Stop 24 ATTN: J. Levine/DYCR R. Corley/DYC D. Williams/DYCC Edwards AFB, CA 93523-5000
2	Comander US Naval Surface Weapons Center ATTN: J. P. Consaga C. Gotzmer Indian Head, MD 20640-5000	1	AFRPL/TSTL (Tech Library) Stop 24 Edwards AFB, CA 93523-5000
		1	AFATL/DLYV Eglin AFB, FL 32542-5000

# DISTRIBUTION LIST

<u>No. of Copies</u>	<u>Organization</u>	<u>No. of Copies</u>	<u>Organization</u>
1	AFATL/DLXP Eglin AFB, FL 32542-5000	2	Calspan Corporation ATTN: C. Morphy P. O. Box 400 Buffalo, NY 14225-0400
1	AFATL/DLJE Eglin AFB, FL 32542-5000	1	General Electric Company Armament Systems Dept. ATTN: M. J. Bulman, Room 1311 128 Lakeside Avenue Burlington, VT 05401-4985
1	AFATL/DOIL ATTN: (Tech Info Center) Eglin AFB, FL 32542-5438	1	General Applied Sciences Lab ATTN: J. Erdos Merrick & Stewart Avenues Westbury Long Isld, NY 11590
1	NASA Langley Research Center ATTN: G.B. Northam/MS 168 Langley Station Hampton, CA 23365	1	General Motors Rsch Labs Physics Department ATTN: R. Teets Warren, MI 48090
1	NASA/Lyndon B. Johnson Space Center ATTN: NHS-22, Library Section Houston, TX 77054	1	ITRI ATTN: M. J. Klein 10 W. 35th Street Chicago, IL 60616-3799
1	AFELM, The Rand Corporation ATTN: Library D (Required or 1700 Main Street Classified Santa Monica CA Only) 90401-3297	1	Hercules Inc. Allegheny Ballistics Laboratory ATTN: R. B. Miller P. O. Box 210 Cumberland, MD 21501-0210
2	AAI Corporation ATTN: J. Hebert J. Frankle P. O. Box 6767 Baltimore, MD 21204	1	Hercules, Inc. Bacchus Works ATTN: K. P. McCarty P. O. Box 98 Magna, UT 84044-0098
1	Aerojet Ordnance Company ATTN: D. Thatcher 2521 Michelle Drive Tustin, CA 92680-7014	1	Hercules, Inc. Radford Army Ammunition Plant ATTN: J. Pierce Radford, VA 24141-0299
1	Aerojet Solid Propulsion Co. ATTN: P. Micheli Sacramento, CA 95813	1	Honeywell, Inc. - MN64 2200 Defense Systems Division ATTN: C. Hargreaves 6110 Blue Circle Drive Minnetonka MN 55436
1	Atlantic Research Corporation ATTN: K. King 5390 Cheorokee Avenue Alexandria, VA 22312-2302	1	Institute of Gas Technology ATTN: D. Gidaspow 3424 S. State Street Chicago, IL 60616-3896
1	AVCO Everett Rsch Lab ATTN: D. Stickler 2385 Revere Beach Parkway Everett, MA 02149-5936	1	Lawrence Livermore National Laboratory ATTN: C. Westbrook P.O. Box 808 Livermore, CA 94550
1	Battelle Memorial Institute ATTN: Tech Library 505 King Avenue Columbus, OH 43201-2693		

# DISTRIBUTION LIST

<u>No. of Copies</u>	<u>Organization</u>	<u>No. of Copies</u>	<u>Organization</u>
1	Lawrence Livermore National Laboratory ATTN: L-355, A. Buckingham M. Finger P. O. Box 808 Livermore, CA 94550-0622	1	Science Applications, Inc. ATTN: R. B. Edelman 23146 Cumorah Crest Drive Woodland Hills, CA 91364-3710
1	Lawrence Livermore National Laboratory ATTN: L-324/M. Constantino P. O. Box 808 Livermore, CA 94550-0622	3	Thiokol Corporation Huntsville Division ATTN: D. Flanigan R. Glick Tech Library Huntsville, AL 35807
3	Los Alamos National Lab ATTN: B. Nichols T7, MS-B284 C. Mader K. Hanson P.O. Box 1663 Los Alamos, NM 87545	2	Thiokol Corporation Elkton Division ATTN: R. Biddle Tech Lib. P. O. Box 241 Elkton, MD 21921-0241
1	Massachusetts Institute of Technology Dept of Mechanical Engineering ATTN: T. Toong 77 Massachusetts Avenue Cambridge, MA 02139-4307	2	United Technologies Chemical Systems Division ATTN: R. Brown Tech Library P. O. Box 358 Sunnyvale, CA 94086-9998
2	Mathematics Research Center ATTN: B. Noble J. Nohel 610 Walnut Street Madison, WI 53706	1	Veritay Technology, Inc. ATTN: E. Fisher 4845 Millersport Hwy. P. O. Box 305 East Amherst, NY 14051-0305
1	Olin Corporation Badger Army Ammunition Plant ATTN: R. J. Thiede Baraboo, WI 53913	1	Universal Propulsion Company ATTN: H. J. McSpadden Black Canyon Stage 1 Box 1140 Phoenix, AZ 85029
1	Olin Corporation Smokeless Powder Operations ATTN: D. C. Mann P.O. Box 222 St. Marks, FL 32355-0222	1	Brigham Young University Dept. of Chemical Engineering ATTN: M. Beckstead Provo, UT 84601
1	Paul Gough Associates, Inc. ATTN: P. S. Gough P. O. Box 1614, 1048 South St. Portsmouth, NH 03801-1614	1	California Institute of Tech 204 Karman Lab Main Stop 301-46 ATTN: F. E. C. Culick 1201 E. California Street Pasadena, CA 91109
1	Princeton Combustion Research Lab., Inc. ATTN: N.A. Messina 475 US Highway One Monmouth Junction, NJ 08852-9650	1	California Institute of Tech Jet Propulsion Laboratory ATTN: L. D. Strand 4800 Oak Grove Drive Pasadena, CA 91109-8099
		1	University of California, Berkeley Mechanical Engineering Dept. ATTN: J. Daily Berkeley, CA 94720

# DISTRIBUTION LIST

<u>No. of Copies</u>	<u>Organization</u>	<u>No. of Copies</u>	<u>Organization</u>
1	University of Florida Dept. of Chemistry ATTN: J. Winefordner Gainesville, FL 32611	1	Princeton University MAE Dept. ATTN: F. A. Williams Princeton, NJ 08544
1	University of Illinois Dept of Mech/Indust Engr ATTN: H. Krier 144 MEB; 1206 N. Green St. Urbana, IL 61801-2978	2	Purdue University School of Mechanical Engineering ATTN: N. M. Laurendeau S. N. B. Murthy TSPC Chaffee Hall West Lafayette, IN 47907-1199
1	University of Massachusetts Dept. of Mech. Engineering ATTN: K. Jakus Amherst, MA 01002-0014	1	Purdue University School of Aeronautics and Astronautics ATTN: J. R. Osborn Grissom Hall West Lafayette, IN 47906
1	University of Minnesota Dept. of Mech. Engineering ATTN: E. Fletcher Minneapolis, MN 55414-3368	1	Rensselaer Polytechnic Inst. Department of Mathematics Troy, NY 12181
1	Case Western Reserve University Division of Aerospace Sciences ATTN: J. Tien Cleveland, OH 44135	2	Director Los Alamos Scientific Lab ATTN: T3, D. Butler M. Division, B. Craig P. O. Box 1663 Los Alamos, NM 87544
3	Georgia Institute of Tech School of Aerospace Eng. ATTN: B. T. Zinn E. Price W. C. Strahle Atlanta, GA 30332	1	Stevens Institute of Technology Davidson Laboratory ATTN: R. McAlevy, III Castle Point Station Hoboken, NJ 07030-5907
1	Virginia Polytechnic Institute and State University ATTN: J.A. Schetz R. T. Smith Blacksburg, VA 24061	1	Rutgers University Dept. of Mechanical and Aerospace Engineering ATTN: S. Temkin University Heights Campus New Brunswick, NJ 08903
1	Institute of Gas Technology ATTN: D. Gidaspo 3424 S. State Street Chicago, IL 60616-3896	1	University of Southern California Mechanical Engineering Dept. ATTN: OHE200, M. Gerstein Los Angeles, CA 90089-5199
1	G. M. Faeth Pennsylvania State University Applied Research Laboratory University Park, PA 16802-7501	2	University of Utah Dept. of Chemical Engineering ATTN: A. Baer G. Flandro Salt Lake City, UT 84112-1194
1	Pennsylvania State University Dept. of Mech. Engineering ATTN: K. Kuo University Park, PA 16802-7501	1	Washington State University Dept. of Mech. Engineering ATTN: C. T. Crowe Pullman, WA 99163-5201

# DISTRIBUTION LIST

<u>No. of Copies</u>	<u>Organization</u>	<u>No. of Copies</u>	<u>Organization</u>
<u>Aberdeen Proving Ground</u>			
	Dir, USAMSAA ATTN: AMXSY-D AMXSY-MP, H. Cohen		
	Cdr, USATECOM ATTN: AMSTE-SI-F AMSTE-CM-F, L. Nealley		
	Cdr, CSTA ATTN: STECS-AS-H, R. Hendricksen		
	Cdr, CRDC, AMCCOM ATTN: SMCCR-RSP-A SMCCR-MU SMCCR-SPS-IL		

USER EVALUATION SHEET/CHANGE OF ADDRESS

This Laboratory undertakes a continuing effort to improve the quality of the reports it publishes. Your comments/answers to the items/questions below will aid us in our efforts.

1. BRL Report Number \_\_\_\_\_ Date of Report \_\_\_\_\_
2. Date Report Received \_\_\_\_\_
3. Does this report satisfy a need? (Comment on purpose, related project, or other area of interest for which the report will be used.) \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_
4. How specifically, is the report being used? (Information source, design data, procedure, source of ideas, etc.) \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_
5. Has the information in this report led to any quantitative savings as far as man-hours or dollars saved, operating costs avoided or efficiencies achieved, etc? If so, please elaborate. \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_
6. General Comments. What do you think should be changed to improve future reports? (Indicate changes to organization, technical content, format, etc.) \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

CURRENT ADDRESS	_____
	Name
	_____
	Organization
	_____
	Address
	_____
	City, State, Zip

7. If indicating a Change of Address or Address Correction, please provide the New or Correct Address in Block 6 above and the Old or Incorrect address below.

OLD ADDRESS	_____
	Name
	_____
	Organization
	_____
	Address
	_____
	City, State, Zip

(Remove this sheet, fold as indicated, staple or tape closed, and mail.)

----- FOLD HERE -----

Director  
U.S. Army Ballistic Research Laboratory  
ATTN: SLCBR-DD-T  
Aberdeen Proving Ground, MD 21005-5066




NO POSTAGE  
NECESSARY  
IF MAILED  
IN THE  
UNITED STATES

OFFICIAL BUSINESS  
PENALTY FOR PRIVATE USE, \$300

**BUSINESS REPLY MAIL**  
FIRST CLASS PERMIT NO 12062 WASHINGTON, DC  
POSTAGE WILL BE PAID BY DEPARTMENT OF THE ARMY

Director  
U.S. Army Ballistic Research Laboratory  
ATTN: SLCBR-DD-T  
Aberdeen Proving Ground, MD 21005-9989



----- FOLD HERE -----